


Long Life / 3000 hours

FEATURES

The Short-Arc Metal Halide Lamp, L5431, suited for the light source for projector, has achieved the average life time of 3000 hours. It will enhance the performance of LCD projector and over-head projector (OHP).



LIFE CHARACTERISTICS



Subject to local technical requirements and regulations, availability of products included in this promotional material may vary. Please consult with our sales office.


Information furnished by HAMAMATSU is believed to be reliable. However, no responsibility is assumed for possible inaccuracies or omissions.

Specifications are subjected to change without notice. No patent rights are granted to any of the circuits described herein. © 1997 Hamamatsu Photonics K. K.

SHORT-ARC TYPE METAL HALIDE LAMP 575W L5431

LONG LIFE MECHANISM

HAMAMATSU has developed a unique technology (PATENT PENDING), called as double halogen cycle, which extends the average lamp life over 3000 hours.



UNIQUE "DOUBLE HALOGEN CYCLE" TECHNIQUE


Outer gas convection suppresses the thermal reaction with the fused silica envelope thus protect it from crystallization. It maintains the envelope strength and light transmission even after 500 hours of operation. Inner gas convection assures the metal halogen cycle which minimize the electrode dissipation.

TLSOC0018EA

SPECIFICATION


Lamp Power	575 W
Lamp Voltage	AC 95 V
Lamp Current	AC 6.1 A
Luminous Flux	49,000 lm
Luminous Efficiency	85 lm/W
Color Temperature	6,000 K
Arc Gap	7.0 mm
Life (Expectancy)	3,000 hours

DIMENSIONAL OUTLINE (Unit:mm)



TLSOA0014ED

SPECTRAL DISTRIBUTION



* PATENT PENDING: JAPAN 17, USA 4, EUROPE 4

HAMAMATSU

HAMAMATSU PHOTONICS K.K., Electron Tube Center
314-5, Shimokanzo, Toyooka-village, Iwata-gun, Shizuoka-ken, 438-0193, Japan, Telephone: (81)539/62-5248, Fax: (81)539/62-2205, Telex: 4225-186HAMAHQ

U.S.A.: Hamamatsu Corporation: 360 Foothill Road, Bridgewater, N.J. 08807-0910, U.S.A., Telephone: (1)908-231-0960, Fax: (1)908-231-1218

Germany: Hamamatsu Photonics Deutschland GmbH: Arzbergerstr. 10, D-82211 Herrsching am Ammersee, Germany, Telephone: (49)8152-375-0, Fax: (49)8152-2658

France: Hamamatsu Photonics France S.A.R.L.: 8, Rue du Saule Trapu, Parc du Moulin de Massy, 91882 Massy Cedex, France, Telephone: (33)1 69 53 71 00, Fax: (33)1 69 53 71 10

United Kingdom: Hamamatsu Photonics UK Limited: Lough Point, 2 Gladbeck Way, Windmill Hill, Enfield, Middlesex EN2 7JA, United Kingdom, Telephone: (44)181-367-3560, Fax: (44)181-367-6384

North Europe: Hamamatsu Photonics Norden AB: Färögatan 7, S-164-40 Kista, Sweden, Telephone: (46)8-703-29-50, Fax: (46)8-750-58-95

Italy: Hamamatsu Photonics Italia S.R.L.: Via Della Moia, 1/E 20020 Arese, (Milano), Italy, Telephone: (39)2-935 81 733, Fax: (39)2-935 81 741

TLSO1011E03
NOV. 1997
Created in Japan

This datasheet has been download from:

www.datasheetcatalog.com

Datasheets for electronics components.